

Innovative.
Smart.
Trusted.

We're your partner for
sterilization products.



Monitoring Products for Vaporized Hydrogen Peroxide

VH202

Crosstex | Industrial is a division of Crosstex International, a Cintel Medical Company (NYSE:CMN). We are a leading global manufacturer of infection control and sterilization assurance products. We create high quality, innovative products, the majority of which are manufactured in the United States. Our broad range of products include the following key product lines: Biological Indicators, Chemical Indicators, Quality Control Test Suspensions, Sterilization Pouches and Tubes, Custom Indicator Labels, Face Masks and High Level Disinfectants.

Our global market segments include medical device, pharmaceutical, contract sterilizer, laboratory, food and beverage and biotechnology companies which we serve through a worldwide distribution network. With eleven manufacturing/distribution facilities around the world – eight in the United States and three internationally – Crosstex | Industrial services the global infection control community in an efficient and timely manner.

Crosstex's infection control and sterilization assurance products are manufactured in FDA regulated facilities certified to ISO 13485:2012. Globally, Crosstex maintains a comprehensive list of accreditations and certifications.

Sales, Service and R&D Office Manufacturing Facilities

959 Illinois Avenue, Suite B
Maumee, OH 43537
USA

6789 W. Henrietta Road
Rush, NY 14543
USA

31 Water Street
Cuba, NY 14727
USA

Visit our websites at:

SterilizationProducts.com or crosstex.com

(567) 803-1220 | (800) 860-1888

Fax: (419) 666-1715

Email: ProductOrders@crosstex.com

Table of Contents

Biological Indicators

Self-Contained Biological Indicators.....	3
• SporeView® SCBIs	
Incubators.....	3
Inoculated Carriers & Biological Indicators.....	4
• Steel Spore Discs	
• Glass Fiber Spore Discs	
• Spore Coupons & Spore Wires	
Spore Suspensions.....	5

Chemical Indicators

Chemical Indicator Strips.....	5
Chemical Process Indicators.....	6
Indicator Tapes.....	6

Packaging

Tyvek® Sterilization Pouches.....	7
Tyvek® Roll Stock Tubing	7
Heat Sealers	7

SporView® and Steri-Coil™ are registered trademarks and trademarks of SPSmedical Supply Corp., a wholly owned subsidiary of Crosstex International, Inc.

Tyvek® and Mylar® are registered trademarks of E.I. du Pont de Nemours and Company.

Trypticase® is a registered trademark owned by Becton, Dickinson and Company.



SporView® Self-Contained Biological Indicators

Crosstex SporView® Self-Contained Biological Indicators (SCBIs) for monitoring Vaporized Hydrogen Peroxide (VH₂O₂) sterilization processes provide fast, visible, consistent and reliable results offering peace of mind for assurance of effective sterilization. Use of Crosstex's distinctively designed SCBI system reduces the possibility of contamination and minimizes the potential for false positives associated with post-exposure transfer. Crosstex SporView® SCBIs consist of a thermoplastic vial and a white cap, a crushable glass ampule with an exclusively formulated Trypticase® Soy Broth (TSB) modified with pH indicator, and a glass fiber disc inoculated with *Geobacillus stearothermophilus* spores.

- Reduced incubation time of 24 hours
- Visually distinct positive results from purple to yellow
- Chemical Indicator on label provides instant indication of exposure
- Smaller size, 8.4 mm x 45.5 mm, designed to fit in challenging sterilization areas
- Compliant with ISO 11138-1



SporView® SCBIs

Geobacillus stearothermophilus Cell Line 7953
18 month shelf life

Crosstex Code	Population	Incubation Time	Quantity
VH50	10 ⁶	24 hours	50/box

Digital Dry Block Incubator

The Crosstex Digital Dry Block Incubator is designed for convenient and reliable incubation of SporView® SCBIs.

- The electronically-heated aluminum block holds up to 10 units
- 13 mm well size
- Temperature and incubation time are displayed digitally
- Adjustable temperature (5°C to 70°C) and incubation time (0 to 99h 59m)
- Reaches set point temperature in 15 minutes or less
- Transparent lid included to ensure consistent temperature and to protect the units
- 12 month limited warranty

Digital DryBlock Incubator

Crosstex Code	Voltage	Plug Type
INC-13A	110-220V	North & South America
INC-13E	110-220V	Europe
INC-13U	110-220V	United Kingdom
INC-13AC	110-220V	Australia & China



Standard Dry Block Incubators

The Crosstex Standard Dry Block Incubators are available with 11 mm well sizes designed for use with SporView® SCBIs.

- Compact design allows for minimal counter space to be utilized
- Aluminum block holds up to 15 units
- Built-in vial crusher
- 5 year limited warranty



Standard Dry Block Incubators

Crosstex Code	Temperature	Voltage	Plug Type
NDB-060	55°C to 60°C	110V	North & South America
NDB-060-E	55°C to 60°C	220V	Europe
NDB-060-A	55°C to 60°C	220V	Australia & China

Inoculated Carriers & Biological Indicators

Crosstex manufactures a comprehensive product line of Inoculated Carriers and Biological Indicators (BIs) for use in monitoring Vaporized Hydrogen Peroxide (VH₂O₂) sterilization processes. The BIs are designed for monitoring processes whether placed directly into the chamber, positioned in areas of a device which are the most difficult to sterilize or distributed throughout rooms and isolators.

- Convenient shelf packages of 100 units per box
- *Bacillus atrophaeus* and *Geobacillus stearothermophilus* product configurations available
- Products are accompanied by a Certificate of Analysis and are certified with population, purity, and resistance characteristics (*D* value, survival and kill where applicable)
- ISO 11138-1 Compliant



Steel & Glass Fiber Spore Discs

- Glass Fiber Spore Discs are 9 mm in diameter and are packaged in Tyvek®/Mylar®
- Steel Spore Discs are 6 mm in diameter and are available packaged in easy-to-access Tyvek®/Mylar® or Tyvek®/Tyvek® pouches (Please inquire for bulk & other packaging)

Glass Fiber Spore Discs

Bacillus atrophaeus Cell Line 9372
12 month shelf life

Crosstex Code	Packaging	Population	Quantity
GFTN-06	Tyvek®/Mylar®	10 ⁶	100/box

Geobacillus stearothermophilus Cell Line 7953
24 month shelf life

Crosstex Code	Packaging	Population	Quantity
GFTS-06	Tyvek®/Mylar®	10 ⁶	100/box

Steel Spore Discs

Bacillus atrophaeus Cell Line 9372
12 month shelf life

Crosstex Code	Packaging	Population	Quantity
SDN-06	Tyvek®/Mylar®	10 ⁶	100/box
TTN-06	Tyvek®/Tyvek®	10 ⁶	100/box

Geobacillus stearothermophilus Cell Line 7953
19 month shelf life

Crosstex Code	Packaging	Population	Quantity
SDS-06	Tyvek®/Mylar®	10 ⁶	100/box
TTS-06	Tyvek®/Tyvek®	10 ⁶	100/box

Spore Coupons & Spore Wires

- Spore Coupons are 34 mm x 7 mm x 0.9 mm and packaged in easy-to-access 57 mm x 70 mm Tyvek®/Mylar® pouches (Please inquire for bulk packaging)
- Spore Wires are 40 mm x 1.5 mm and packaged in bulk
- Coupons and Wires have a rigid structure which allows for easy insertion and removal from a device
- Spore Coupons are supplied with a hole to allow them to hang in the sterilizer or room when removed from packaging

Spore Coupons

Bacillus atrophaeus Cell Line 9372
12 month shelf life

Crosstex Code	Description	Packaging	Population	Quantity
CPN-06	Steel Coupon	Tyvek®/Mylar®	10 ⁶	100/box

Geobacillus stearothermophilus Cell Line 7953
19 month shelf life

Crosstex Code	Description	Packaging	Population	Quantity
CPS-06	Steel Coupon	Tyvek®/Mylar®	10 ⁶	100/box

Spore Wires

Geobacillus stearothermophilus Cell Line 7953
19 month shelf life

Crosstex Code	Description	Packaging	Population	Quantity
SWH-06	Braided Steel	Bulk	10 ⁶	100/box

Spore Suspensions

Crosstex manufactures Spore Suspensions utilized in VH_2O_2 sterilization processes. The Spore Suspensions are pure suspensions of spores with known resistance characteristics and a variety of population levels standardized per 0.1 mL. The Spore Suspensions allow for direct inoculation of products, typically to verify sterility of devices which are most difficult to sterilize. They can also be used for a variety of other microbiological tests including cleaning effectiveness studies, Bioburden percent recovery and Bacteriostasis/Fungistasis (BF) testing.

- Each vial contains 10 mL of suspension. Diluent contains 20% ethanol
- Pharmaceutical grade glass vials with screw cap and septum
- Spore Suspensions require storage under refrigerated conditions (2°C to 8°C)
- Each vial of Spore Suspension is accompanied by a Certificate of Analysis detailing the source, assayed population, resistance characteristics and expiration date
- ISO 11138-1 Compliant



Spore Suspensions

Geobacillus stearothermophilus Cell Line 7953
24 month shelf life


Crosstex Code	Population per 0.1 mL
VGS-106H	10^6
VGS-107H	10^7
VGS-108H	10^8

Chemical Indicators

Chemical Indicator Strips


Crosstex VH_2O_2 Chemical Indicator Strips are certified to meet chemical indicator specifications for pack monitoring when used in VH_2O_2 sterilization processes. Crosstex evaluates the performance of every lot in state of the art equipment to ensure consistent and reliable performance.

- Provide a distinct color change from red to blue upon exposure to VH_2O_2 processes
- Demonstrate exceptional performance in the most widely used VH_2O_2 sterilizers
- Manufactured with synthetic material
- ISO 11140-1 Type 1 Compliant



Unexposed

Exposed



Chemical Indicator Strips

24 month shelf life

Crosstex Code	Description	Dimensions	Quantity
GPS-250R	VH_2O_2 Chemical Indicator Strip – Type 1	101 mm x 15 mm (4" x 0.75")	250/box

Chemical Indicators







Chemical Process Indicators

Crosstex Vaporized Hydrogen Peroxide (VH₂O₂) Chemical Process Indicators (CPIs) meet performance specifications as outlined in ISO 11140-1 Sterilization of health care products - Chemical indicators - Part 1: General requirements, for Type 1 Process Indicators. CPIs provide a fast and reliable visual check on items that were exposed to VH₂O₂.

- Consistent color transition
- No light sensitivity issues
- Permanent pressure-sensitive adhesive
- Room temperature storage (15°C to 30°C)
- Each shipment is accompanied by a Certificate of Analysis to ensure product quality and consistency

Chemical Process Indicators


24 month shelf life

	Crosstex Code	Description	Indicators Per Roll	Unexposed	Exposed
	CPI-P03	Circle Indicator Label 12.7 mm with imprinted text "BLUE IS H ₂ O ₂ EXPOSED"	5,000		
	GPL-2000R	Circle Indicator Label 9 mm	2,000		

Indicator Tape (Red to Yellow)

Crosstex VH₂O₂ Tape (red to yellow option) is designed to aid in distinguishing processed from unprocessed loads. The tape consists of a strong custom-made white polyester substrate with a pressure sensitive adhesive which adheres to Tyvek®, plastic, woven, treated woven and non-woven wraps. The adhesive allows for secure seals yet is easy to remove.

- Latex & Lead free
- Tape will change color from red to yellow when exposed to 2.3 mg/L \pm 0.4 mg/L of VH₂O₂ at 50°C for 6 minutes exposure time or longer
- Can be written upon
- Long shelf life of 36 months
- Each shipment includes a Certificate of Analysis for assurance of product quality and performance
- ISO 11140-1 Type 1 Compliant



Indicator Tape (Red to Blue)

Crosstex VH₂O₂ Tape (red to blue option) is to be used as an external chemical indicator for packages to be sterilized in VH₂O₂ sterilization processes. This is a process indicator that indicates the package has been exposed to VH₂O₂ during the sterilization process.

- Each roll comes in its own dispenser box; just tear off appropriate length, remove liner and secure to wrap
- Tape will change color from red to blue when exposed to 2.3 mg/L \pm 0.4 mg/L of VH₂O₂ at 50°C for 6 minutes exposure time or longer
- 15 month shelf life
- ISO 11140-1 Type 1 Compliant



Indicator Tapes

Crosstex Code	Description	Dimensions	Quantity
TAP-H48	VH ₂ O ₂ Tape (red to yellow)	19 mm x 55 m (3/4" x 60 yds)	48 rolls/box
HT-048	VH ₂ O ₂ Tape (red to blue)	19 mm x 55 m (3/4" x 60 yds)	24 rolls/box

Tyvek® Sterilization Pouches

Crosstex Tyvek® Sterilization Pouches include a chemical indicator for verification of exposure and will maintain sterilization of instruments for up to 24 months.

- Single-use pouches for sterilizing reusable instruments
- Self-seal and heat-seal styles, as well as a range of sizes to accommodate most instruments
- Manufactured with Tyvek® material for superior tear strength and puncture resistance
- Pouches and rolls feature a convenient built-in green indicator that will turn yellow when exposed
- Meets ISO 11607 standards for pouch performance



Tyvek® Self Seal & Heat Seal Sterilization Pouches

Crosstex Code	Description	Size	Process	Quantity
TSP-180	Self-Seal Tyvek® Pouch	3.5" x 5.25" (9 x 13 cm)	VH ₂ O ₂	200/bx, 10/cs
TSP-181	Self-Seal Tyvek® Pouch	3.5" x 9" (9 x 23 cm)	VH ₂ O ₂	200/bx, 10/cs
TSP-182	Self-Seal Tyvek® Pouch	4" x 24" (10 x 61 cm)	VH ₂ O ₂	200/bx, 4/cs
TSP-183	Self-Seal Tyvek® Pouch	5.25" x 10" (13 x 25 cm)	VH ₂ O ₂	200/bx, 10/cs
TSP-184	Self-Seal Tyvek® Pouch	5" x 15" (13 x 38 cm)	VH ₂ O ₂	200/bx, 10/cs
TSP-185	Self-Seal Tyvek® Pouch	7.5" x 13" (19 x 33 cm)	VH ₂ O ₂	200/bx, 5/cs
THP-282	Heat-Seal Tyvek® Pouch	4" x 9" (10 x 23 cm)	VH ₂ O ₂	200/bx, 10/cs
THP-283	Heat-Seal Tyvek® Pouch	6" x 12" (15 x 30 cm)	VH ₂ O ₂	200/bx, 10/cs



Steri-Coil™ Pouch Dividers

Crosstex Code	Dimensions	Quantity
SCD-001	3.5" x 3.5" x 20"	Each
SCD-012	2.5" x 6"	Each



Tyvek® Roll Stock Tubing

Manufactured to the same performance standards as our pouches, Crosstex Tyvek® tubing is designed to be cut to any length prior to packaging and then mechanically sealed or taped closed.

- Manufactured with Tyvek® material
- Comes in roll form for custom sizing
- Ideal for long or odd shaped instruments
- Individually packaged in 100 foot (30 meter) rolls



Tyvek® Roll Stock Tubing

Crosstex Code	Size	Process	Quantity
TST-004	4" x 100 ft (10 cm x 30 m)	VH ₂ O ₂	10 rolls/cs
TST-006	6" x 100 ft (15 cm x 30 m)	VH ₂ O ₂	10 rolls/cs

Heat Sealers

Compact and easy to operate, each heat sealer comes with instructions for use. Heat sealers are available in 18" (46 cm) and 24" (61 cm) sizes and are ready to use after a short warm up period.

- 1/2" (1.3 cm) seal in approximately two seconds
- If object exceeding 1/8" (3 mm) thickness is in the sealing area, the heat sealer will not operate, providing protection to employees
- Temperature setting can be changed to properly seal paper/poly and Tyvek® packaging products, as well as dust covers



Heat Sealers

Crosstex Code	Size	Quantity
MHS-002	18"	Each
MHS-003	24"	Each

Our Product Literature

CROSSTEX | INDUSTRIAL

Consistent.
Reliable.
Innovative.

Your most trusted partner for sterilization products and services.



Monitoring Products for Steam Sterilization

STEAM

STEAM

CROSSTEX | INDUSTRIAL

Timely.
Accurate.
Experienced.

We're with you from start to finish.



Monitoring Products for Ethylene Oxide

EO

EO

CROSSTEX | INDUSTRIAL

Trusted.
Tailored.
Precise.

We can help you ensure the safety of your product.



Monitoring Products for Gamma & E-Beam Sterilization

IRRAD

IRRAD

CROSSTEX | INDUSTRIAL

Innovative.
Smart.
Trusted.

We're your partner for sterilization products.



Monitoring Products for Vaporized Hydrogen Peroxide


VH2O2

VH2O2

CROSSTEX | INDUSTRIAL

Secure.
Tested.
Certified.

We solve problems with confidence and creativity.



Monitoring Products for Dry Heat

DRY

Steam-Formaldehyde

FORM

Chlorine Dioxide

CLO2

DRY **FORM** **CLO2**

CROSSTEX | INDUSTRIAL

Precise.
User-friendly.
Flexible.


We're here to verify your product performance.



Quality Control Test Suspensions - Growth Promotion

CROSSTEX | INDUSTRIAL

THE RIGHT MASK FOR THE RIGHT TASK!



CROSSTEX
A CANTEL MEDICAL COMPANY

800.866.1888 • SterilizationProducts.com

Authorized Distributor:

CROSSTEX | INDUSTRIAL
A CANTEL MEDICAL COMPANY
959 Illinois Avenue, Suite B
Maumee, OH 43537
USA

SterilizationProducts.com
crosstex.com
(567) 803-1220 | (800) 860-1888
Fax: (419) 666-1715
Email: ProductOrders@crosstex.com